



Exceeding The Limits To Always Get The Best

800x3000 MM 800x3200 MM

CONNECTING THE VALUE OF SLAB







CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT Formats






The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE Profiles



Double straight rounded edge





Half bullnoss






Demi bullnoss




Micro bevel




Straight squared edge



Double straight





Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm, it is possible to shape its edges in different styles and create aesthetically rich countertops for


JOINT POSSIBILITIES











Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of The Residential Kitchen

Elevating Classic Style or Today's Homeowne eading Edge Design

PRODUCT Range



PRODUCT Finishes

FEEL

A matte finish with a light layer of enamel for subtle shine and a pleasantly soft touch. Surface finish which is easy to clean.



APPLICATION Areas

 \bigoplus

(III)

LIGHTWEIGHT

WATERPROOF

RESISTANT TO SCRATCHES

TECHNICAL Features

RESISTANT TO HIGH TEMPERATURES

EASY TO CLEAN

RESISTANT TO BENDING

100% NATURAL

RECYCLABLE

HYGIENIC

RESISTANT TO UV RAYS

KITCHEN COUNTERTOP



LIVING ROOM

FURNITURE

STAIRCASE

DINING TABLE

















TABLE TOP

OFFICE TABLE


DOOR \WINDOW FRAME





LOURENT GOLD

BODY BLACK BODY FINISH MATT SIZE **800**x**3000 MM 800**x**3200 MM**



MARQUINA NERO

BLACK BODY

MATT

800x3000 MM 800x3200 MM



METAL BLACK

BODY BLACK BODY FINISH MATT SIZE **800**x**3000 MM 800**x**3200 MM**



PORTE NOIR


BODY

BLACK BODY

FINISH **MATT**

SIZE **800**x**3000 MM 800**x**3200 MM**





COCOA VENEER

BROWN BODY

MATT

800x3000 MM 800x3200 MM




NATURAL PINE DARK

BROWN BODY

MATT

800x3000 MM 800x3200 MM




SMOKE WALNUT

BROWN BODY

MATT

800x3000 MM 800x3200 MM






GREY FLURRY

BODY Grey Body FINISH **MATT**

SIZE **800**x**3000 MM 800**x**3200 MM**







OAK NATURAL

IVORY BODY

MATT

800x3000 MM 800x3200 MM






CEMENT FEEL

WALL STREET GREY BODY

FINISH **MATT**

SIZE **800**x**3000 MM 800**x**3200 MM**



PIETRA GREY

WALL STREET GREY BODY

MATT


800x3000 MM 800x3200 MM




ARABESCATO GOLD

BODY WHITE BODY

FINISH MATT SIZE **800**x**3000 MM 800**x**3200 MM**










CALCATTA ULTRA

BODY WHITE BODY

FINISH MATT SIZE **800**x**3000 MM 800**x**3200 MM**



DELMARE

WHITE BODY

MATT

800x3000 MM 800x3200 MM



FURR WHITE


WHITE BODY

MATT

800x3000 MM 800x3200 MM










MACHIA VECHIA

WHITE BODY

MATT

800x3000 MM 800x3200 MM




MONT BLANC

WHITE BODY

MATT

800x3000 MM 800x3200 MM





STATUARIO ALTISSIMO

WHITE BODY

MATT

800x3000 MM 800x3200 MM



Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE		
Grease	Alkaline - Solvent	Detergent		
Oil	Solvent	Ammonia, Backing Soda		
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover		
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic		
Lime	Acid	Descaling Reagent, Hydro Chloric Acid		
Cement	Acid	Hydro Chloric Acid		
Wine	Alkaline	Ammonia, Liquid Bleach		
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach		
Rubber	Solvent	Alcohol, Thinner		
Plaster	Acid	Hydro Chloric Acid		
Candle Wax	Solvent	Alcohol, Thinner		
Iodine	Oxidant	Liquid Bleach		
Blood	Oxidant	Liquid Bleach		
Ice Cream	Alkaline	Liquid Bleach		

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF IBIS	TEST METHOD
Regulatory Properties —			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (± 1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <gloss td="" value<7<=""><td>Gloss Meter 60°</td></gloss>	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7 <gloss td="" value<18<=""><td>Gloss Meter 60°</td></gloss>	Gloss Meter 60°
Structural Properties —			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties ————			
Modulus of rupture	Min. 35.0 N/mm²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≼(755mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties —	3 00 00 00 00 00 00 00 00 00 00 00 00 00	11 (B) (A 0.5 1 (B) 16 (15 P) (F) (F) (A) (B)	7,10,000
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm	Max. 132mm	ISO 10545-6
Thermal Hydrometric Properties ————			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 106	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties —			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties —			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0($<^{12}$) / Posh $\ge P^1(^{12}-^24)$	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R ¹³	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Matt	Color Body	800x3000mm	15mm	1pc	25.83 Sq ft	84 Kgs
	Color Body	800x3200mm	15mm	1pc	27.55 Sq ft	90 Kgs

^{*} With Nano polished

** Except Hydrofluoric Acid & it's compound
Tiles Intended for use on floor
As per customer requirement